

VEO-AXS4P

HDMI[®] AUDIO EXTRACTOR Supporting data rates up to 18Gbps



PRODUCT OVERVIEW

Ecler VEO-AXS4P is a professional HDMI[®] audio extractor that allows to de-embed audio from a HDMI[®] signal, including audio from 4K sources. VEO-AXS4P provides uncompressed LPCM analogue stereo signal through RCA and Phoenix balanced output as well as Dolby Digital and DTS multichannel signals through the coaxial S/PDIF digital output. VEO-AXS4P is HDCP 2.2 and HDMI[®] compliant, supporting data rates up to 18 Gbps and video resolutions up to 4K/60Hz with 4:4:4 chroma sample and HDR contents.

KEY FEATURES

- Audio EDID Settings: Auto/2.0 CH/5.1CH
- Extracts the digital HDMI[®] audio signal from the HDMI[®] input to 2 channel analog stereo output or to 5.1 S/PDIF output
- Signal amplification and equalization to extend HDMI[®] input and output ports up to 10 meters (33 feet)
- Supports LPCM, Dolby Digital and DTS
- Supports resolution up to 4K@60Hz YUV4:4:4
- Supports deep color up to 36bit
- Supports sample rate up to 192 KHz and resolutions up to 24 bit
- HDCP2.2/1.4 Compliant
- Supports CEC

APPLICATIONS

• All the applications where HDMI[®] audio de-embedding is required

1/3



TECHNICAL DATA

Audio and Video performances	
Supported Resolutions	Up to 4K2K@60Hz
Colorspace	RGB, YCbCr
Color depth	8-bit, 10-bit, 12-bit
Signal Bandwidth	18 Gbps
CEC	Pass Through
НДСР	2.2/1.4 Compliant
HDR	HDR10 Supported
Audio Formats	LPCM 2.0, LPCM 5.1, Dolby Digital, DTS-HD Master Audio, Dolby true-HD
Audio Bit Depth	Support of 24-bit
Sample Rate	32 KHz, 44.1 KHz, 48 KHz, 88.2 KHz, 96 KHz, 176.4 KHz, 192 KHz
HDMI [®] Distance	up to 10 meters with Ecler VEO cables
Operating Temperature	-10°C to 55°C (14°F to 131°F)
Humidity	10 to 90% non-condensing
Power Consumption	3 W Max
Power Supply	AC 100V ~ 240V 50/60Hz Output: DC 12V1A

ECLER TECHNICAL DATA SHEET



MISCELLANEOUS

Dimensions L x W x H

129 x 21.5 x 77 mm (5.08" x 0.85" x 3.03")

Weight 244 g / 0.538 lb

MECHANICAL DIAGRAM





ා ල pase

 $oldsymbol{igo}$

All product characteristics are subject to variation due to production tolerances. NEEC AUDIO BARCELONA S.L. reserves the right to make changes or improvements in the design or manufacturing that may affect these product specifications. Motors, 166-168 08038 Barcelona - Spain - (+34) 932238403 information@ecler.es www.ecler.com