

TUBE SMA

WIRELESS PRO AUDIO

Surface-mount adapter



PRODUCT OVERVIEW

TUBE SMA is a surface-mount adapter to rail, that allows installing a WiSpeak TUBE and WiLD-14 unit in locations where there is no available lighting rail, such as walls, ceilings, ect. Available in white finish (RAL 9010) and in black finish (RAL 9005)

KEY FEATURES

- Easy surface-mount for WiSpeak TUBE and WiLD-14

ACCESSORIES AND COMPATIBLE DEVICES

- WiSpeak TUBE



- WiLD-14



APPLICATIONS


- Retail
- Hospitality
- Education
- Corporate
- Sports and wellness

NOTE: TUBE SMA is not compatible with WiSpeak CUBE.


TECHNICAL SPECIFICATIONS

TUBE SMA	
Rating	Max. 250V, 10A
Pull strength	Max. 50N
Torque	Max. 2.5Nm
Dimensions	Ø100mm x 35mm / Ø3,95'' x 1,38''
Weight	100 g / 0,22 lb
Color	White RAL 9010 / Black 9005

MECHANICAL DIAGRAM



POWER CONNECTION





All product characteristics are subject to variation due to production tolerances. **NEEC AUDIO BARCELONA S.L.** reserves the right to make changes or improvements in the design or manufacturing that may affect these product specifications.

Motors, 166-168 08038 Barcelona - Spain - (+34) 932238403 | information@ecler.com | www.ecler.com